



SUPERPERSE® 1000

SOLVENTBORNE SYSTEMS

SUPERPERSE® 1000 is a versatile wetting, dispersing, and stabilizing agent for solventborne systems.

Benefits: **SUPERPERSE® 1000** generates higher pigment loadings, faster dispersion times, improved color development, higher initial gloss and gloss retention.

Applications: **SUPERPERSE® 1000** is compatible with the following vehicles:

- Short oil alkyds
- Medium oil alkyds
- Long oil alkyds
- Oil and alkyd modified urethanes
- Chlorinated rubber
- Nitrocellulose
- Acrylics
- Raw and bodied oils

Recommended Usage Levels: Effective at all usage levels. As an additive, best results are obtained by replacing 5 to 10% of vehicle solids with **SUPERPERSE® 1000**.

Optimum Results: Achieved by utilizing **SUPERPERSE® 1000** as the sole dispersing vehicle.

Typical Properties:

Percentage Active Solids (by Weight)	75%
Weight per Gallon (lbs)	8.1
Specific Gravity	0.97
Gardner Color	12 Max
Viscosity (Gardner-Holdt)	Q-U

Eagle Specialty Products · 2216 North Broadway · St. Louis, MO 63102
(314) 241-7771 · (888) 241-9802 · Fax: (314) 241-5356
www.espinc.us

Our data is based on laboratory tests which are believed to be accurate. However, all recommendations are made without warranty since the conditions of use are beyond the control of Eagle Specialty Products. We do not assume any liability of the product relative to performance or injury resulting from its use. Liability, if any, is limited to replacement product.