



SPECIALTY OILS: T 41 OIL

URETHANE GRADE CASTOR OIL

T 41 OIL is a highly refined castor oil for specific applications which require maximum purity and minimum moisture.

Benefits:

- 100% solids
- Low viscosity
- Low moisture
- Economical
- Improves moisture resistance
- Broad range compatibility
- Plasticizer
- Adhesion promoter
- Superior wetting agent

Applications: Can be used in liquid dielectric and urethane reactions.

Typical Properties:

Appearance	Clear
Color (Gardner)	2+
Acid Value	2 Max
Viscosity (CPS)	500-700
Viscosity (Stokes)	6.3-8.9
Specific Gravity	0.955-0.965
Iodine Value	82-88
Hydroxyl Value	160-168
Saponification Value	176-184
Pour Point (°F)	-10
Moisture and Volatile	0.02% Max
Insoluble Impurities	0.01% Max
Refractive Index	1.476-1.479

Eagle Specialty Products · 2216 North Broadway · St. Louis, MO 63102
(314) 241-7771 · (888) 241-9802 · Fax: (314) 241-5356
www.espinc.us

Our data is based on laboratory tests which are believed to be accurate. However, all recommendations are made without warranty since the conditions of use are beyond the control of Eagle Specialty Products. We do not assume any liability of the product relative to performance or injury resulting from its use. Liability, if any, is limited to replacement product.